

*Add elegance to any decor with Decora® Plus and Decora® designer wallplates. Versatile and sleek, the screwless, snap-on Decora Plus wallplates hide mounting screws and offer a flawless, easy-to-clean face. Choose from a complete selection of colors, including clear—which allows you to create a custom wallpaper look. Decora wallplates add that finishing touch to any redecorating project.*



*Wallplates*

## DECORA<sup>®</sup> PLUS Screwless Snap-On Wallplates

### Features & Benefits

- Sleek, smooth contemporary architectural styling with hidden mounting screws complements fine decors
- Decora compatible — two-piece kit allows easy use with any Decora installation
- Impact-resistant thermoplastic construction stands up to abuse and cleaning solutions
- For a custom look, wallcovering can be inserted inside clear wallplate, which snaps into place on subplate for a seamless finish between device and wall surface

### SCREWLESS SNAP-ON WALLPLATES

Description	Cat. No.	Color* (Basic Cat. No. Denotes Mahogany)
1-Gang	80301	I, W, A, GY, E, CL
2-Gang	80309	I, W, A, GY, E, CL
3-Gang	80311	I, W, A, GY, E
4-Gang	80312	I, W, A, GY, E
5-Gang	80321-I	W, A (N/A in Mahogany)
6-Gang	80326-I	W, A (N/A in Mahogany)



As Seen On



Wallplates

### Testing & Code Compliance

- UL Listed (File #E-13397)
- Meet NEMA Standards WD-1
- CSA Certified (File #LR16347)
- NOM Certified (#057)
- Backed by a Limited Ten-Year Warranty

### Material Characteristics

Environmental: Flammability UL-94, V2 Rating  
Operating Temperature: -40°C to 120°C

### \*Color

Basic Cat. No. denotes Mahogany Brown device. For other color selections, add suffix to the catalog number as follows: Ivory (-I), White (-W), Almond (-A), Gray (-GY), Ebony Black (-E), Clear (-CL).

Dimensional drawings on page T4.







## DECORA<sup>®</sup> Nylon and Metal Wallplates








### Features & Benefits

- Accent any wall covering with a wide selection of colors and finishes
- Smooth face and rounded edges resist dust accumulation
- Individual plastic wrapping to protect wallplate's surface
- Color-matched mounting screws supplied

### NYLON WALLPLATES

Description	Cat. No.	Color* (Basic Cat. No. Denotes Mahogany)
1-Gang 	80401-N	I, W, A, GY, E, R, B
2-Gang 	80409-N	I, W, A, GY, E, R, B
3-Gang 	80411-N	I, W, A, GY
4-Gang 	80412-N	I, W, A

### METAL WALLPLATES

Description	Brushed Brass Satin Finish .040" Thick	Polished Brass .040" Thick	Non-Magnetic Stainless Steel .032" Thick	Aluminum Satin Finish .040" Thick
1-Gang 	81401	81401-PB	84401-40	83401
2-Gang 	81409	81409-PB	84409-40	83409
1-Gang— 1-Decora, 1 Duplex 	—	—	84455-40	—
3-Gang 	81411	81411-PB	84411-40	—
4-Gang 	81412	—	84412-40	—
5-Gang 	81423	—	84423-40	—
6-Gang 	—	—	84436-40	—

### Testing & Code Compliance

#### Decora Nylon Wallplates

- UL Listed (File #E-13397)
- Meet NEMA Standards WD-1
- CSA Certified (File #LR16347)
- NOM Certified (#057)
- Backed by a Limited Ten-Year Warranty

#### Decora Metal Wallplates

- UL Listed (File #92327)
- CSA Certified (File #LR-16347)
- NOM Certified (#057)
- Backed by a Limited Ten-Year Warranty

### Material Characteristics

Environmental: Flammability UL-94, V2 Rating  
Operating Temperature: -40°C to 120°C

#### \*Color


#### Decora Nylon Wallplates

Basic Cat. No. denotes Mahogany Brown device. For other color selections, add suffix to the catalog number as follows: Ivory (-I), White (-W), Almond (-A), Gray (-GY), Red (-R), Ebony Black (-E), Blue (-B).

#### Decora Metal Wallplates

Brass, polished brass, stainless steel or aluminum finish as listed.

Dimensional drawings on page T4.



## Testing & Code Compliance

- UL Listed (File #E-13397)
- CSA Certified (File #LR-16347)
- NOM Certified (#057)
- Full compliance with NEMA Standards WD-1
- Backed by a Limited Two-Year Warranty

## Material Characteristics

Environmental: Flammability UL-94, V2 Rating  
Operating Temperature: -40°C to 120°C

### \*Color

Basic Cat. No. denotes Mahogany Brown. For other color selections, add suffix to the catalog number as follows: Ivory (-I), White (-W), Almond (-A), Gray (-GY), Ebony Black (-E).

Dimensional drawings on page T4.

## DECORA® Standard and Plastic Wallplates

### Features & Benefits

- Available in a wide selection of sizes and colors to complement any wall color or covering
- Smooth face and rounded edges resist dust accumulation
- Color-matched mounting screws supplied
- Midway wallplates hide wall irregularities — are 0.375" higher and wider than standard wallplates

### STANDARD SIZE SMOOTH PLASTIC WALLPLATES

Description		Cat. No.	Color* (Basic Cat. No. Denotes Mahogany)
1-Gang		80401	I, W, A, GY, E
2-Gang		80409	I, W, A, GY, E
2-Gang—1-Decora, 1-Toggle		80405	I, W, A, GY, E
2-Gang—1-Decora, 1-Duplex		80455	I, W, A
2-Gang—1-Telephone, 1-Decora (.406 in hole)		80479	I, W
3-Gang		80411	I, W, A, GY, E
3-Gang—2-Decora, 1-Toggle		80431	I, W, GY
3-Gang—1-Decora, 2-Toggle		80421	I, W, A, GY, E
3-Gang—1-Decora, 1-Toggle, 1-Telephone		80442-I	Ivory Only
3-Gang—2-Decora 1-Telephone		80443-I	Ivory Only
4-Gang		80412	I, W, A, GY, E
5-Gang		80423	I, W, A, GY, E
6-Gang		80436	I, W, A, GY, E
7-Gang		80407-I†	W (Basic Cat. No. denotes Ivory)
8-Gang		80408-I†	W (Basic Cat. No. denotes Ivory)

† Painted metal.

### MIDWAY SIZE SMOOTH PLASTIC WALLPLATES





Description		Cat. No.	Color* (Basic Cat. No. Denotes Mahogany)
1-Gang		80601	I, W, A, GY
2-Gang		80609	I, W, A, GY
2-Gang—1-Blank, 1-Decora		80608	I, W, A
2-Gang—1-Decora, 1-Toggle		80605	I, W, A
3-Gang		80611	I, W, A
4-Gang		80612	I, W, A








## **DECORA® and DECORA® PLUS** **Wallplate Accessories**

### DECORA STANDARD SIZE PLASTIC ADAPTERS

Description		Cat. No.	Color* (Basic Cat. No. Denotes Mahogany)
Dimmer Shaft (.406" hole)		80400	I, W, A, GY, E
Blank (no hole)		80414	I, W, A, GY, E
CATV Jack		40681-I	W, A, GY, E
Wallbox Adapter Extends shallow wallbox to fit GFCI Decora devices		6197	I, W

### DECORA PLUS STANDARD SIZE PLASTIC ADAPTERS

Description		Cat. No.	Color*
CATV Jack		80381	I, W, A, GY, E
Blank (no hole)		80314	I, W, A, GY, E
4-Gang Template		80300	Ebony Black only

#### Testing & Code Compliance

- Backed by a Limited Two-Year Warranty

#### Material Characteristics

Environmental: Flammability UL-94, V2 Rating  
Operating Temperature: -40°C to 120°C

#### \*Color

Colors available as listed. Basic Cat. No. denotes Mahogany Brown. For other color selections, add suffix to the catalog number as follows: Ivory (-I), White (-W), Almond (-A), Gray (-GY), Ebony Black (-E).

### WALLPLATE REPLACEMENT SCREWS (5/16"-6 x 32 threads)—100 per Box

Description	Cat. No.	Description	Cat. No.
Almond	82400	Ivory	86400
Black	83400	Gray	87400
Stainless Steel	84400	White	88400
Mahogany Brown	85400	Red	89400